




3D Paradise
3D Printers|3D Printing Services

BAMBULAB 3D PRINTERS

3D Paradise

Complete Printers Catalogue
A Series | H Series | X series | P series

+91 8861925181
+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

A1 Mini

A-Series | 500 mm/s | Beginners, education, compact printing

- Single Z Axis
- Live Video Feed
- Flow Calibration
- Vibration Compensation
- Active Motor Noise Cancelling

Specs:



MATERIALS PLA PETG PU PVA	BUILD VOLUME 180x180 x180 mm	NOZZLE 300°C StainlessSteel	BED 80°C TexturedPEIPlate
MOTION SYSTEM Bed Slinger	CAMERA 1080p0.5FPS	CONNECTIVITY Wi-Fi	ENCLOSURE No

AMS System AMS Lite	Weight 5.5kg	Dimensions 347x315x365mm	Nozzle Type StainlessSteel
------------------------	-----------------	-----------------------------	-------------------------------

+91 8861925181
+91 8800161994
hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B



3D Paradise
3D Printers | 3D Printing Services

A1 Mini COMBO

A-Series | 500 mm/s | Beginners, education, compact printing

- Single Z Axis
- Live Video Feed
- Flow Calibration
- Vibration Compensation
- Active Motor Noise Cancelling



Specs:

MATERIALS PLA PETG PU PVA	BUILD VOLUME 180x180 x180 mm	NOZZLE 300°C StainlessSteel	BED 80°C TexturedPEIPlate
MOTION SYSTEM Bed Slinger	CAMERA 1080p0.5FPS	CONNECTIVITY Wi-Fi	ENCLOSURE No

AMS System AMS Lite	Weight 5.5kg	Dimensions 347x315x365mm	Nozzle Type StainlessSteel
------------------------	-----------------	-----------------------------	-------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019





A-Series | 500 mm/s | General-purpose home and prototyping

Features:

- SingleZAxis
- Full-Metal Hotend
- Live Video Feed
- Flow Calibration
- Vibration Compensation
- Active Motor Noise Cancelling



Specs:

MATERIALS PLA PETG TPU PVA	BUILD VOLUME 256x256x256mm	NOZZLE 300°C Stainless Steel	BED 100°C Textured PEI Plate
MOTION SYSTEM Bed Slinger	CAMERA 1080p0.5FPS	CONNECTIVITY Wi-Fi	ENCLOSURE No

AMS System AMS Lite	Weight 8.3kg	Dimensions 465x410x430mm	Nozzle Type Stainless Steel
-------------------------------	------------------------	------------------------------------	---------------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



B A M B U L A B

A1 COMBO




3D Paradise
3D Printers | 3D Printing Services

A-Series | 500 mm/s | General-purpose home and prototyping

Features:

- SingleZAxis
- Full-Metal Hotend
- Live Video Feed
- Flow Calibration
- Vibration Compensation
- Active Motor Noise Cancelling



Specs:

MATERIALS PLA PETG TPU PVA	BUILD VOLUME 256x256x256mm	NOZZLE 300°C Stainless Steel	BED 100°C Textured PEI Plate
MOTION SYSTEM Bed Slinger	CAMERA 1080p0.5FPS	CONNECTIVITY Wi-Fi	ENCLOSURE No

AMS System AMS Lite	Weight 8.3kg	Dimensions 465x410x430mm	Nozzle Type Stainless Steel
-------------------------------	------------------------	------------------------------------	---------------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B


A2L

A-Series | 500 mm/s | Large-format creative projects



Features:

- DualZ Axis
- Large Build Volume
- Live Video Feed
- Flow Calibration
- Vibration Compensation



Specs:

MATERIALS PLA PETG	BUILD VOLUME 330x320x325mm	NOZZLE 300°C Stainless Steel	BED 80°C Textured PEI Plate
MOTION SYSTEM Bed Slinger	CAMERA 1080p0.5FPS	CONNECTIVITY Wi-Fi	ENCLOSURE No

AMS System AMS/AMSLite	Weight N/A	Dimensions N/A	Nozzle Type Stainless Steel
---------------------------	---------------	-------------------	--------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B


A2L COMBO

A-Series | 500 mm/s | Large-format creative projects



Features:

- DualZ Axis
- Large Build Volume
- Live Video Feed
- Flow Calibration
- Vibration Compensation



Specs:

MATERIALS PLA PETG	BUILD VOLUME 330x320x325mm	NOZZLE 300°C Stainless Steel	BED 80°C Textured PEI Plate
MOTION SYSTEM Bed Slinger	CAMERA 1080p0.5FPS	CONNECTIVITY Wi-Fi	ENCLOSURE No

AMS System AMS/AMSLite	Weight N/A	Dimensions N/A	Nozzle Type Stainless Steel
---------------------------	---------------	-------------------	--------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

P1S

P-Series | 500 mm/s | Enclosed productivity, multi-material printing



3D Paradise
3D Printers | 3D Printing Services

Features:

- Enclosed CoreXY
- HEPA Air Filtration
- Live Video Feed
- Flow Calibration
- Vibration Compensation



Specs:

MATERIALS 	BUILD VOLUME 256x256x256mm	NOZZLE 300°C Stainless Steel	BED 100°C Textured PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS	Weight 12.95 kg	Dimensions 389x389x458mm	Nozzle Type Stainless Steel
--------------------------	---------------------------	------------------------------------	---------------------------------------

+91 8861925181
+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

P1S COMBO



3D Paradise
3D Printers|3D Printing Services

P-Series | 500 mm/s | Enclosed productivity, multi-material printing

Features:

- Enclosed CoreXY
- HEPA Air Filtration
- Live Video Feed
- Flow Calibration
- Vibration Compensation



Specs:

MATERIALS 	BUILD VOLUME 256x256x256mm	NOZZLE 300°C Stainless Steel	BED 100°C Textured PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS	Weight 12.95 kg	Dimensions 389x389x458mm	Nozzle Type Stainless Steel
--------------------------	---------------------------	------------------------------------	---------------------------------------

+91 8861925181
+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

P2S



P-Series | 600 mm/s | Next-generation enclosed productivity

Features:

- EnclosedCoreXY
- 600 mm/s Print Speed
- AMS 2 Pro / AMS HT Support
- Live Video Feed
- Flow Calibration
- Vibration Compensation

Specs:



MATERIALS PLA PETG ABS ASA TPU	BUILD VOLUME 256x256x256mm	NOZZLE 300°C Hardened Steel	BED 110°C Textured PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro/AMSHT	Weight ~14.9 kg	Dimensions 392x406x478mm	Nozzle Type HardenedSteel
-----------------------------	--------------------	-----------------------------	------------------------------

+91 8861925181
+91 8800161994
hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

P2S COMBO



P-Series | 600 mm/s | Next-generation enclosed productivity

Features:

- EnclosedCoreXY
- 600 mm/s Print Speed
- AMS 2 Pro / AMS HT Support
- Live Video Feed
- Flow Calibration
- Vibration Compensation



Specs:

MATERIALS PLA PETG ABS ASA TPU	BUILD VOLUME 256x256x256mm	NOZZLE 300°C Hardened Steel	BED 110°C Textured PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro/AMSHT	Weight ~14.9 kg	Dimensions 392x406x478mm	Nozzle Type HardenedSteel
------------------------------------	---------------------------	------------------------------------	-------------------------------------

+91 8861925181
+91 8800161994
hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

H2D



3D Paradise
3D Printers|3D Printing Services

H-Series | 1000 mm/s | Dual-nozzle professional manufacturing

Features:

- DualNozzle (IDEX)
- 1000 mm/s Print Speed
- 350°C Nozzle Temperature
- Enclosed Chamber
- CF/GF Material Support
- Live Video Feed



Specs:

MATERIALS PLA PETG ABS ASA PA PC CF/GF	BUILD VOLUME 325 x 320 x 325 mm (single)	NOZZLE 350°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro/AMSHT	Weight ~31 kg	Dimensions 492x514x626mm	Nozzle Type HardenedSteel
------------------------------------	-------------------------	------------------------------------	-------------------------------------

+91 8861925181
+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

H2D COMBO



3D Paradise
3D Printers|3D Printing Services

H-Series | 1000 mm/s | Dual-nozzle professional manufacturing

Features:

- DualNozzle (IDEX)
- 1000 mm/s Print Speed
- 350°C Nozzle Temperature
- Enclosed Chamber
- CF/GF Material Support
- Live Video Feed



Specs:

MATERIALS PLA PETG ABS ASA PA PC CF/GF	BUILD VOLUME 325 x 320 x 325 mm (single)	NOZZLE 350°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro/AMSHT	Weight ~31 kg	Dimensions 492x514x626mm	Nozzle Type HardenedSteel
------------------------------------	-------------------------	------------------------------------	-------------------------------------

+91 8861925181
+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

X2D



X-Series | 600 mm/s | Dual-nozzle compact engineering

Features:

- Dual Nozzle (IDEX)
- 600 mm/s Print Speed
- Enclosed Chamber
- Engineering Material Support
- Live Video Feed
- Flow Calibration



Specs:

MATERIALS PLA PETG ABS ASA TPU Nylon	BUILD VOLUME 256 x 256 x 260 mm (main)	NOZZLE 300°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS 2Pro	Weight N/A	Dimensions N/A	Nozzle Type HardenedSteel
------------------------	---------------	-------------------	------------------------------

+91 8861925181
+91 8800161994
hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

X2D COMBO

X-Series | 600 mm/s | Dual-nozzle compact engineering



Features:

- Dual Nozzle (IDEX)
- 600 mm/s Print Speed
- Enclosed Chamber
- Engineering Material Support
- Live Video Feed
- Flow Calibration

Specs:



MATERIALS PLA PETG ABS ASA TPU Nylon	BUILD VOLUME 256 x 256 x 260 mm (main)	NOZZLE 300°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS 2Pro	Weight N/A	Dimensions N/A	Nozzle Type HardenedSteel
------------------------	---------------	-------------------	------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

H2C

H-Series | 1000 mm/s | Automated multi-material / Vortek



Features:

- Automated Multi-Material (Vortek)
- 1000 mm/s Print Speed
- 350°C Nozzle Temperature
- Enclosed Chamber
- CF/GF Material Support
- Live Video Feed

Specs:



MATERIALS PLA PETG ABS ASA PA PC CF/GF	BUILD VOLUME 305 x 320 x 325 mm (single)	NOZZLE 350°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro / AMSHT	Weight ~22.8 kg	Dimensions 492x514x626mm	Nozzle Type HardenedSteel
--------------------------------------	---------------------------	------------------------------------	-------------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

H2C COMBO

H-Series | 1000 mm/s | Automated multi-material / Vortek



Features:

- Automated Multi-Material (Vortek)
- 1000 mm/s Print Speed
- 350°C Nozzle Temperature
- Enclosed Chamber
- CF/GF Material Support
- Live Video Feed



Specs:

MATERIALS PLA PETG ABS ASA PA PC CF/GF	BUILD VOLUME 305 x 320 x 325 mm (single)	NOZZLE 350°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro / AMSHT	Weight ~22.8 kg	Dimensions 492x514x626mm	Nozzle Type HardenedSteel
--------------------------------------	---------------------------	------------------------------------	-------------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

H2S



3D Paradise
3D Printers|3D Printing Services

H-Series | 1000 mm/s | Large-format high-temperature printing

Features:

- Large Build Volume
- 1000 mm/s Print Speed
- 350°C Nozzle Temperature
- Enclosed Chamber
- Full Material Compatibility
- Live Video Feed



Specs:

MATERIALS PLA PETG ABS ASA PA PC PET CF/GF	BUILD VOLUME 340x320x340mm	NOZZLE 350°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro/AMSHT	Weight 24.5 kg	Dimensions 492x514x626mm	Nozzle Type HardenedSteel
------------------------------------	--------------------------	------------------------------------	-------------------------------------

+91 8861925181
+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

H2S COMBO



H-Series | 1000 mm/s | Large-format high-temperature printing

Features:

- Large Build Volume
- 1000 mm/s Print Speed
- 350°C Nozzle Temperature
- Enclosed Chamber
- Full Material Compatibility
- Live Video Feed



Specs:

MATERIALS PLA PETG ABS ASA PA PC PET CF/GF	BUILD VOLUME 340x320x340mm	NOZZLE 350°C Hardened Steel	BED 120°C High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS2Pro/AMSHT	Weight 24.5 kg	Dimensions 492x514x626mm	Nozzle Type HardenedSteel
------------------------------------	--------------------------	------------------------------------	-------------------------------------

+91 8861925181
+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

X1 Carbon

X-Series | 500 mm/s | High-performance multi-material printing

- LiDAR Auto-Leveling
- Enclosed CoreXY
- Live Video Feed
- Flow Calibration Vibration
- Compensation PA/PC &
- CF/GF Capable

Specs:



MATERIALS PLA ASA TPU ABS PET	BUILD VOLUME 256x256x256mm	NOZZLE 300°C Hardened Steel	BED 110-120°C* Textured PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS	Weight 14.13 kg	Dimensions 389x389x457mm	Nozzle Type HardenedSteel
--------------------------	---------------------------	------------------------------------	-------------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

X1E



X-Series | 500 mm/s | Enterprise and engineering applications

Features:

- ActiveChamber Heating (60°C)
- Enclosed CoreXY
- 320°C Nozzle Temperature
- Enterprise-Grade Build
- Live Video Feed
- Flow Calibration



Specs:

MATERIALS 	BUILD VOLUME 256x256x256mm	NOZZLE 320°C Hardened Steel	BED 110-120°C* High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS	Weight ~16 kg	Dimensions 389x389x457mm	Nozzle Type HardenedSteel
--------------------------	-------------------------	------------------------------------	-------------------------------------

+91 8861925181
+91 8800161994
hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

X1E COMBO



X-Series | 500 mm/s | Enterprise and engineering applications

Features:

- ActiveChamber Heating (60°C)
- Enclosed CoreXY
- 320°C Nozzle Temperature
- Enterprise-Grade Build
- Live Video Feed
- Flow Calibration



Specs:

MATERIALS 	BUILD VOLUME 256x256x256mm	NOZZLE 320°C Hardened Steel	BED 110-120°C* High-Temp PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE Yes

AMS System AMS	Weight ~16 kg	Dimensions 389x389x457mm	Nozzle Type HardenedSteel
--------------------------	-------------------------	------------------------------------	-------------------------------------

+91 8861925181

+91 8800161994

hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



B A M B U L A B

P1P



P-Series | 500 mm/s | Legacy open-frame CoreXY

Features:

- Open-Frame CoreXY
- Budget-Friendly Entry
- Live Video Feed
- Flow Calibration
- Vibration Compensation

Specs:



MATERIALS PLA PETG TPU PVA	BUILD VOLUME 256 x 256 x 256 mm	NOZZLE 300°C Stainless Steel	BED 100°C Textured PEI Plate
MOTION SYSTEM CoreXY	CAMERA 1080p	CONNECTIVITY Wi-Fi	ENCLOSURE No

AMS System AMS	Weight 9.65 kg	Dimensions 386x389x458mm	Nozzle Type Stainless Steel
--------------------------	--------------------------	------------------------------------	---------------------------------------

+91 8861925181
+91 8800161994
hello@paradise-3d.com



3D PARADISE, RZ-480D, Second Floor, Gali no. 13A
Tughlakabad Extension, New Delhi - 110019



QUICK COMPARISON, ALL 12 PRINTERS

Printer	Series	Build Volume (mm)	Speed	Nozzle	Bed	AMS	Enclosure
A1 Mini	A-Series	180 x 180 x 180 mm	500 mm/s	300°C	80°C	AMS Lite	No
A1	A-Series	256 x 256 x 256 mm	500 mm/s	300°C	100°C	AMS Lite	No
A2L	A-Series	330 x 320 x 325 mm	500 mm/s	300°C	80°C	AMS / AMS Lite	No
P1S	P -Series	256 x 256 x 256 mm	500 mm/s	300°C	100°C	AMS	Yes
P2S	P -Series	256 x 256 x 256 mm	600 mm/s	300°C	110°C	AMS 2 Pro / AMS HT	Yes
H2D	H-Series	325 x 320 x 325 mm (single)	1000 mm/s	350°C	120°C	AMS 2 Pro / AMS HT	Yes
X2D	X-Series	256 x 256 x 260 mm (main)	600 mm/s	300°C	120°C	AMS 2 Pro	Yes
H2C	H-Series	305 x 320 x 325 mm (single)	1000 mm/s	350°C	120°C	AMS 2 Pro / AMS HT	Yes
H2S	H-Series	340 x 320 x 340 mm	1000 mm/s	350°C	120°C	AMS 2 Pro / AMS HT	Yes
X1 Carbon	X-Series	256 x 256 x 256 mm	500 mm/s	300°C	110-120°C*	AMS	Yes
X1E	X-Series	256 x 256 x 256 mm	500 mm/s	320°C	110-120°C*	AMS	Yes
P1P	P -Series	256 x 256 x 256 mm	500 mm/s	300°C	100°C	AMS	No

* X1 Carbon/X1E bed maximum is voltage-dependent. H2D/H2C/X2D printable regions vary with nozzle configuration. Specifications may change by region, bundle, or firmware.
Specification data sourced from Bambu Lab official technical pages for A1 Mini, P1S, X1 Carbon, P2S, X2D, H2D, H2C, and H2S.